

## Entity-Relationship Model Intershop 7



Document ID:	ENF7-60-09-01
Version:	7.6.0.0
Publication Date:	2015-11-23
Cartridge:	<b>bc_product_configuration</b>

### Notes:

DomainID <fk> columns reference to Domain.UUID (core)

<pk> = primary key  
<fk..> = foreign key  
<ak..> = alternate key  
<i..> = indexed column


<PersistentObject>.\_AV.OWNERID references to  
<PersistentObject>.UUID, see core for detailed column  
description of \_AV tables.

These materials are subject to change without notice. These materials are provided by Intershop Communications AG and its affiliated companies ("Intershop Group") for informational purposes only, without representation or warranty of any kind, and Intershop Group shall not be liable for errors or omissions with respect to the materials. The only warranties for Intershop Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.


This document and all of its parts are protected by copyright. All rights, including those of duplication, reproduction, translation, microfilming, storage on electronic media and processing in electronic form are expressly reserved.


Intershop® and Enfinity™ are trademarks or registered trademarks of Intershop Communications AG. All other company, product and brand names are trademarks or registered trademarks of their respective owners.

Copyright© 2005-2014 Intershop Communications. All Rights Reserved.



orm.configuration





PRODUCTCONFVALDASS				
<u>VALIDATORUUID</u>	VARCHAR2(28 CHAR)	<pk,fk1>	<i1,i2>	not null
<u>SETPRODUCTASSIGNUUID</u>	VARCHAR2(28 CHAR)	<pk,fk2>	<i1,i3>	not null
OCA	NUMBER(11,0)			not null

UUID = SETPRODUCTASSIGNUUID

UUID = OWNERID

PRODUCTCONFVAVALASS_AV				
<u>OWNERID</u>	...	<pk,fk>		not null
<u>NAME</u>	...	<pk>		not null
<u>LOCALEID</u>	...	<pk>		not null

PRODUCTCONFVAVALASS				
<u>UUID</u>	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
VALUEUUID	VARCHAR2(28 CHAR)	<fk2>	<i1,i4>	not null
VALIDATORUUID	VARCHAR2(28 CHAR)	<fk1>	<i1,i3>	not null
POSITION	FLOAT(126)			not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = VALUEUUID

UUID = VALIDATORUUID

UUID = VALIDATORUUID

UUID = OWNERID

PRODUCTCONFVAOPTASS_AV				
<u>OWNERID</u>	...	<pk,fk>		not null
<u>NAME</u>	...	<pk>		not null
<u>LOCALEID</u>	...	<pk>		not null

PRODUCTCONFVAOPTASS				
<u>UUID</u>	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
VALIDATORUUID	VARCHAR2(28 CHAR)	<fk1>	<i1,i3>	not null
OPTIONUUID	VARCHAR2(28 CHAR)	<fk2>	<i1,i4>	not null
POSITION	FLOAT(126)			not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = VALIDATORUUID

UUID = OWNERID

PRODUCTCONFVALD_AV				
<u>OWNERID</u>	...	<pk,fk>		not null
<u>NAME</u>	...	<pk>		not null
<u>LOCALEID</u>	...	<pk>		not null

PRODUCTCONFVALD				
<u>UUID</u>	VARCHAR2(28 CHAR)	<pk>	<i>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
ID	VARCHAR2(256 CHAR)			not null
DESCRIPTION	VARCHAR2(4000 CHAR)			null
VALIDATORUUID	VARCHAR2(256 CHAR)			not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = OWNERID

PRODUCTCONFVALDVALS_AV				
<u>OWNERID</u>	...	<pk,fk>		not null
<u>NAME</u>	...	<pk>		not null
<u>LOCALEID</u>	...	<pk>		not null

PRODUCTCONFVALDVALS				
<u>UUID</u>	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
ID	VARCHAR2(256 CHAR)		<i1>	not null
DESCRIPTION	VARCHAR2(4000 CHAR)			null
VALUECOUNT	NUMBER(11,0)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = OWNERID

PRODUCTCONFVASECASS_AV				
<u>OWNERID</u>	...	<pk,fk>		not null
<u>NAME</u>	...	<pk>		not null
<u>LOCALEID</u>	...	<pk>		not null

PRODUCTCONFVASECASS				
<u>UUID</u>	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
VALIDATORUUID	VARCHAR2(28 CHAR)	<fk1>	<i1,i3>	not null
SECTIONUUID	VARCHAR2(28 CHAR)	<fk2>	<i1,i4>	not null
POSITION	FLOAT(126)			not null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = SECTIONUUID

UUID = VALIDATORUUID