

Entity-Relationship Model Intershop 7



Document ID: ENF7-60-09-01
Version: 7.6.0.0
Publication Date: 2015-11-23
Cartridge: **bc_shipping_data**


Notes:

DomainID <fk> columns reference to Domain.UUID (core)

<pk> = primary key
<fk..> = foreign key
<ak..> = alternate key
<i..> = indexed column

<PersistentObject>._AV.OWNERID references to
<PersistentObject>.UUID, see core for detailed column
description of _AV tables.

shippingmethod.shippingchargeplan.bracket



shippingmethod.shippingchargeplan

These materials are subject to change without notice. These materials are provided by Intershop Communications AG and its affiliated companies ("Intershop Group") for informational purposes only, without representation or warranty of any kind, and Intershop Group shall not be liable for errors or omissions with respect to the materials. The only warranties for Intershop Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

This document and all of its parts are protected by copyright. All rights, including those of duplication, reproduction, translation, microfilming, storage on electronic media and processing in electronic form are expressly reserved.

Intershop® and Enfinity™ are trademarks or registered trademarks of Intershop Communications AG. All other company, product and brand names are trademarks or registered trademarks of their respective owners.

Copyright© 2005-2014 Intershop Communications. All Rights Reserved.

UUID = OWNERID

ADVANCEDSHIPPINGMETH_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

ADVANCEDSHIPPINGMETHOD

UUID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
ID	VARCHAR2(256 CHAR)		<i1,i3>	not null
ACTIVEFLAG	NUMBER(1,0)			null
INSTRUCTIONSUPPORTEDFLAG	NUMBER(1,0)			null
SEQUENCENUMBER	NUMBER(11,0)			null
SHIPPINGTIMEMIN	NUMBER(11,0)			null
SHIPPINGTIMEMAX	NUMBER(11,0)			null
STARTDATE	TIMESTAMP (9)			null
ENDDATE	TIMESTAMP (9)			null
SHIPPINGCHARGEPLANID	VARCHAR2(256 CHAR)		<i3>	null
SHIPPINGCHARGEPLANTYPE	VARCHAR2(12 CHAR)		<i3>	null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = OWNERID

SHIPPINGBRFLAT_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

SHIPPINGBRFLAT

UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
SHIPPINGCHARGEPLANID	VARCHAR2(28 CHAR)	<fk>	<i2>	null
CURRENCYCODE	VARCHAR2(3 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = OWNERID

SHIPPINGBRITEM_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

SHIPPINGBRITEM

UUID	VARCHAR2(28 CHAR)	<pk>	<i1>	not null
DOMAINID	VARCHAR2(28 CHAR)			not null
SHIPPINGCHARGEPLANID	VARCHAR2(28 CHAR)	<fk>	<i2>	null
CURRENCYCODE	VARCHAR2(3 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = SHIPPINGCHARGEPLANID

UUID = OWNERID

SHIPPINGCHPLFLAT_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

SHIPPINGCHPLFLAT

UUID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
ID	VARCHAR2(256 CHAR)		<i1>	not null
SHIPPINGMETHODID	VARCHAR2(256 CHAR)			null
TAXCLASSCODE	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = SHIPPINGCHARGEPLANID

UUID = OWNERID

SHIPPINGCHPLITEM_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

SHIPPINGCHPLITEM

UUID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
ID	VARCHAR2(256 CHAR)		<i1>	not null
SHIPPINGMETHODID	VARCHAR2(256 CHAR)			null
TAXCLASSCODE	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null

UUID = OWNERID

SHIPPINGCHPLFLEX_AV

OWNERID	...	<pk,fk>	not null
NAME	...	<pk>	not null
LOCALEID	...	<pk>	not null

SHIPPINGCHPLFLEX

UUID	VARCHAR2(28 CHAR)	<pk>	<i2>	not null
DOMAINID	VARCHAR2(28 CHAR)		<i1>	not null
ID	VARCHAR2(256 CHAR)		<i1>	not null
SHIPPINGMETHODID	VARCHAR2(256 CHAR)			null
TAXCLASSCODE	VARCHAR2(256 CHAR)			null
OCA	NUMBER(11,0)			not null
LASTMODIFIED	TIMESTAMP (9)			not null